IDEA-0411-67 Copy____of____^

7 June 1967

MEMORANDUM FOR: Deputy for Materiel, OSA

Deputy for Operations, OSA

25X1 SUBJECT

25X1

Life Support Requirements

for Detachment G.

REFERENCE

Memorandum for the Record, IDEA-0362-67

dated 3 May 1967.

2. Facilities

GROUP 1

a) Trailers: Detachment G has already installed a three trailer complex for interim full pressure suit support. Required AGE and test equipment to be installed is on order and should be delivered in Oct. 1967. No further action required.

25X1

25X1

- b) Freuhoff Van: The altitude chamber/maintenance van must be transferred to Detachment G not later than 30 June 1967. Request D/M action.
- c) Interim Suit Support Equipment: A list of AGE, spare parts and test equipment required to support the two test pilots' interim pressure suits (to be used from August through October) is being prepared. The majority of this equipment will have to be "borrowed" SAC or other sources. ASD/R&D will coordinate action through D/M.

25X1

SECRET

Excluded from suteman

Approved For Release 2002/06/13 : CIA-RDP68B00724R000200140007-8

IDEA-0411-67

3. Personnel

25X1

25X1 a) Technical Representatives: was requested for one David Clark tech rep and one additional Firewel tech rep for Detachment G in FY-68. It was originally thought that with the OXCART Phase 25X1 down, this requirement for tech reps could be satisfied by transferring experienced tech reps 25X1 Because of the present uncertainty Detachment G. regarding OXCART and the fact that these two tech reps are an absolute requirement to support the test flight program, two new tech reps must be acquired immediately. It is requested that D/M/OSA take action to contract for these tech reps asap. They must be trained and in place NLT 1 August 1967.

b) Personnel Equipment Technicians

- 25X1 1) One additional P.E. tech is required at Detachment G for the period from 1 August 1967 through 1 January 1968 to support the test flight Originally this requirement was to be satisfied by reassigning This reassignment has apparently to Detachment G. been frozen. However, the absolute requirement for an experienced P.E. tech at G by 1 August 1967 still 25X1 exists and cannot be satisfied by recruiting a new man from USAF resources due to the long lead time It is therefore imperative that involved. be transferred to G PCS as originally planned with a reporting date NLT 1 August 1967. 25X1 should be recruited placement P.E. tech immediately so that if OXCART should continue, the shortage of a P.E. tech will be for as short a period as possible.
- 2) Two additional P.E. techs required at Detachment G on/about 1 January 1968 are being recruited from USAF resources at this time. No further action required.
- 3) The memo referenced above (IDEA-0362-67) recommended, with the installation of the altitude chamber van at Detachment G, that two physiological

SECRET 2

25X1

IDEA-0411-67

training technician slots be provided and filled by 1 January 1968. Providing these two technicians will, along with the P.E. techs and tech reps requested above, bring the detachment's life support section manning up to the level required to support their increased workload. It is therefore requested that action be taken to provide these two $911\bar{X}0$ technicians from USAF resources NLT 1 January 1968. If OXCART phases out as scheduled, assets could be used, but action should be taken to obtain these technicians from USAF resources rather than wait.

25X1

25X1

Detachment H requirements: A suspense date of 31 August 1967 should be established for finalizing facility and personnel requirements for Detachment H so that adequate life support functions for the U-2R system can be in place and operational NLT 1 June 1968.

ASD/R&D/OSA

25X1

ASD/R&D/OSAJ (7 June 1967) Distribution:

- Cy 1 D/M/OSA
 - 2 D/O/OSA
 - 3 D/SA
 - 4 D/R&D/OSA
 - 5 ASD/R&D/OSA
 - 6 COMPT/OSA
 - 7 PD/COMPT/OSA
 - 8 IDEA/O/OSA
 - 9 SAS/O/OSA
 - 10 chrono
 - 11 RB/OSA

SECRET